

Installation Instructions

Ground Fixed

Grand Marimba
Page 1 of 3



Instrument Components:



x4

M10x30 Security Screw



10x3/4
Secure Screw
X4

Metric Conversion:
250mm/ 10"
400mm/ 16"
550mm/ 22"
1.5m/ 59"



Weight of heaviest part 40kg (Grand Marimba)



1. Attach the steel legs to each end of the instrument with the M10x30 security screws. **(1.1) (See Assembly Guide)**

2. Attach Ground Fixing posts to each of the legs **(See Ground Fix Post Installation Sheet)**

3. **Excavate 4 holes** for the Steel legs **250mm diameter by 400-550mm deep** depending on Key stage, in desired location upon decision from customer.

4. Locate (lower) legs into holes making sure they are vertical and level prior to concreting in place.

5. Once happy with location of the Instrument, **fill holes using rapid hardening concrete**. Be sure to compact concrete around legs and leave to dry according to manufactures guidelines.



Pair Large Red Beaters X2

Ground Fix Components:





x4



x8

M10x200 Bolt

Tools:

 x1
 x1

TX 25 Driver Bit TX 45 Driver Bit

Thread Lock Solution
Required (Not Supplied)


Ground Fixed
Grand Marimba
Page 2 of 3








Instrument Components:

 x4
M10x30 Security Screw

 X4
10x3/4 Secure Screw



- COMPONENTS LIST:**
-  M10 Nut X8
 -  M10x200 Threaded Bar X4
 -  Saddle Strap X2
 -  10x3/4 Pin torx Screw X4
 -  M10x30 Pin torx X4

Thread Lock Solution
Required (Not Supplied)



Ground Fix Components:

 x4
M10x200 Bolt

 x8


Spares available from
percussionplay.com or from your
local distributor

48 Kg


Ground Fix Post Installation

Tools:


 x1
TX 45 Driver Bit




1
Insert M10x 200 Threaded bar into pre drilled holes in Ground Fixing Post




2
Fix M10x 200 Threaded bar in place using M10 Nuts




3
Excavate a hole with a 250mm diameter tapering down to 350mm diameter and 450mm depth



4
Compact base of hole with 50mm of aggregate. Lower ground Fix post attached of instrument into hole (check instrument straight and level before filling with concrete)



5
Fill hole with fast drying concrete to manufacturers specifications.



Duplicate points 1-5. Grand Marimba requires 4 Ground Fix Posts

Foundations should not present a hazard. These foundations are recommended as a guide, for more information on foundation details for various surface see Part 7 of BS EN 1176.

Ground Fixed
Grand Marimba
Page 3 of 3



Components:

-  x4
M10x200 Bolt
-  x8
M10 Nut

Metric Conversion:
50mm/ 2"
250mm/ 10"
350mm/ 14"
400mm/ 16"
450mm/ 18"

Thread Lock Solution
Required (Not Supplied)